GENERAL INDEX TO VOLUME XIX

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics;* and previously published names and all other matter, in ordinary type.

A

Acnistus, 194, 196, 199; aggregatus, 330; arborescens, 331; *cestroides*, 214; grandiflorus, 332; guayaquilensis, 332; macrophyllus, 333; spathulatus, 335; umbellatus, 335
Allomarkgrafia, 45; **ovalis**, 45
Amblyanthera, 61, 65, 73; *acutiloba*, 54; *Bogotensis*, 73; *Bridgesii*, 67; *crassifolia*, 50; *Fendleri*, 70; *mexicana*, 65; *microcalyx*, 70; *pandurata*, 48; *Schlimii*, 70; *suaveolens*, 68; *torosa*, 64; *tubiflora*, 52; *versicolor β intermedia*, 384
Amblyneris, 183, 206
Amylase: effect of ultra-violet radiations upon, in beans and tomatoes, 517, 518; in Fusarium Lini, 525
Anartia, 73; *Bogotensis*, 73
Angadenia pandurata, 48
Anisodontia, 182, 197, 206
Anisolobus, 386
Apocynaceae, New or otherwise noteworthy, of tropical America, II, 45; III, 375
Apparatus: for the determination of carbon dioxide production in physiological plant studies, 499, *500;* used in determining catalase activity, *522*
Ascleia, 182
Asketanthera, 46; **calycosa**, 47; **dolichopetala**, 47; **longiflora**, 47; **Picardae**, 47
Atriplex acanthocarpa, 389; canescens, 389
Atropeae, 197

B

Beans: dry weight and pH in rayed and unrayed, 527; effect of ultra-violet radiations upon enzymes in, 517; injurious effects of ultra-violet and infra-red radiations on, 82, *86*
Blastomycetic dermatitis, 397
Blastomycoides, 415
Blastomycosis, 397
Bolinia, 431
Bolivaria, 87, 113; *chlorargantha*, 89; *decemfida*, 88, 142; *Grisebachii*, 89, 125; *integrifolia*, 87, 130; *longiflora*, 144; *Mexicana*, 89, 122; *pinnatifida*, 125; *robusta*, 89, 98, 151; *scabra*, 135; *trifida*, 87, 131
Bower, appreciation of Sachs by, 19
Brachycope, 183, 206

C

California disease, 397
Calyptrospermum, 88, 113; *integrifolium*, 130; *trifidum*, 131
Camillea, 478
Cantalea, 182
Carbon dioxide production, an apparatus for the determination of, 499, *500*
Catalase: apparatus used in determining activity of, *522;* effect of ultra-violet radiations upon, in beans and tomatoes, 517, 522
Celidophora, 201
Cestrum, 216; aurantiacum, 331
Chaenesthes, 183, 196, 197
Child, Marion. The genus Daldinia, 429
Citharexylum, 191; brachyanthum, 331, *352, 364*
Cladothrix lanuginosa, 389, var. **carnosa**, 389
Coccidioideaceae, 420
Coccidioidal granuloma: a classification of the causative agent, Coccidioides immitis, 397; etiology and symptomatology of, 399; history, 397
Coccidioides, 421; *brasiliensis*, 417; **asteriformis**, 421; immitis, 397, 421, description, 408, cultural descriptions, 412; pyogenes, 398, 415
Cogswellia, A new species of, 497
Cogswellia **minima**, 497, *498;* Nuttallii, 498
Cynomarathrum, 498

D

Daldinia, The genus, 429; discussion of diagnostic characters, 431; geographical distribution, 436, *437, 438, 439;* history, 429; taxonomy, 445
Daldinia, 429, 445; albozonata, 435, 436, 474, *484, 492;* angolensis, 478; *argentinensis*, 476, f. *sessilis*, 458, 476; aspera, 478; asphalatum, 478; Bakerii, 438, 464, *492; barbata*, 435, 476; caldariorum, 436, 467, *482, 492; cingulata*, 469; clavata, 433, 436, 476, *484, 490, 496; cognata*, 466; concentrica, 429, 433, 434, 436, *441*, 442, 446, 459, 478, *484, 486, 488, 490, 496*; *concentrica* f. *californica*, 454, var. *Eschscholzii*, 458, var. *microspora*, 458; confluens, 454; *corrugata*, 458, 459; cuprea, 433, 435, 475, *484, 486, 490, 492;* durissima, 478;

Eschscholzii, 434, 438, 458, 459, 478, 479, *482*, *484*, *486*, *488*, *492*, *496*; *Eschscholzii*, 464; exsurgens, 479; *Feei*, 479; *fissa*, 433, 469; Gollani, 466, 478, *484*, *492*; **grande**, 439, 440, *441*, 442, 454, 456, *484*, *486*, *490*, *494*; *granulosa*, 475; *Hibiscus*, 466; *intermedia*, 468; loculata, 468, *482*, *490*, *494*; *luzonensis*, 458; *Murrillii*, 468; **occidentale**, *441*, 442, 453, 478, *484*, *486*, *494*; *placentiformis*, 479; *platensis*, 466; **simulans**, 436, 440, 473, *482*, *486*, *490*, *496*; *stratosa*, 458, 479; Thouarsiana, 479; vernicosa, 432, 433, 436, 448, 469, *482*, *486*, *490*, *496*; *vernicosa* f. *microspora*, 458, 476; *Warburgii*, 480; "Y", 454
Dermatitis coccidioides, 397
Diastase, Taka, effect of radiations on, 513
Difco invertase, effects of radiations from a quartz mercury vapor arc upon, 512, 516
Dipladenia, 383; *alba-viridis*, 69; *calycina*, 50
Diplukion, 182
Draba, A new scapose, from Utah, 77
Draba, 77; cyclomorpha, 78; *Lemmonii*, 78; oreibata, 77; **subalpina**, 77
Dunalia, 197, 198, 333; acnistioides, 335; campanulata, 330; obovata, 334
Duogyne, *93*, *95*, 98, 108, 114

E

Echites, 45, 47, 49, 379, 383, 387; *acutiloba*, 54; (*Amblyanthera*) *apocynifolia*, 65; *bicorniculata*, 387; *Bogotensis*, 73; *brevipes*, 387; *Brownei*, 64; *calycosa*, 47; *citrifolia*, 387; *Cobanensis*, 52; *comosa*, 70; *crassifolia*, 50; *densiflora*, 60; *dolichopetala*, 47; *erecta*, 62; *glandulosa*, 66; *Guayaquilensis*, 70; *hirsuta*, 73; *laxa*, 68; *longiflora*, 47; *macrocalyx*, 376; *macrophylla*, 71; *mexicana*, 65; *microcalyx*, 70; *minima*, 386; *mucronata*, 69; *ornata*, 383; *ovalis*, 45; *pandurata*, 48; *Pavonii*, 73; *peltata*, 376; *Picardae*, 47; *pinguifolia*, 48; *pycnantha*, 60; *riparia*, 58; *Rosana*, 56; **rosea**, 386; *Rugeliana*, 47; *rugosa*, 384; *Sanctae-Crucis*, 387; *Smithii*, 65; *suaveolens*, 68; *subsagittata*, 69, 70; *subsessilis*, 59; *symphitocarpa*, 70; *torosa*, 64, var. *Brownei*, 64; *torulosa*, 64; *trifida*, 387, var. *Sanctae-Crucis*, 387; *tubiflora*, 52; **turrigera**, 381; umbellata, 386; yucatanensis, 382
Enzymes, Some effects of radiations from a mercury vapor arc in quartz upon enzymes, 505
Eulycium, 201, 203
Eumandevilla, 58, 66, 386
Eumenodora, *93*, *95*, 98, 108, 114
Evoista, 182, 199

F

Farlow, W. G., appreciation of Sachs by, 16
Fernaldia, 48; **brachypharynx**, 380; **pandurata**, 48, 380
Fraxinus, 107
Fregirardia luteiflora, 334
Fuller, Harry J. Injurious effects of ultra-violet and infra-red radiations on plants, 79; Some effects of radiations from a mercury vapor arc in quartz upon enzymes, 505
Fungus coccidioides, 415
Fungus fraxineum, 446
Fusarium Lini, effect of ultra-violet radiations upon enzymes in, 524

G

Galactophora, 49, 382; **calycina**, 50, 383; **crassifolia**, 50; **magnifica**, 382; **pulchella**, 51; **Schomburgkiana**, 50
Goodman, George J. A new Nama from Idaho, 177; and C. Leo Hitchcock. A new scapose Draba from Utah, 77
Grabowskia, 191, 197, 333, 334; *Ameghinoi*, 325; boerhaviaefolia, 331; *distichum*, 263; **geniculata**, 331, *352*, *364*; glauca, 332; *Schlechtendalii*, 221
Greggia camporum, 389

H

Haemadictyon glandulosum, 66
Half century of plant physiology, A, 31
Hemisphaeria concentrica, 447
Heterothrix, 60; *pycnantha*, 60
Hitchcock, Charles Leo. A monographic study of the genus Lycium of the western hemisphere, 179; George J. Goodman and. A new scapose Draba from Utah, 17
Hottes, Charles F. Contributions to botany of Julius von Sachs, 15
Huanaca, 182
Hydrogen-ion concentrations of rayed and unrayed plants, 527
Hydrolea elegans, 331
Hypoxylon, 429, 445; *angolense*, 478; cerebrinum, 478; *concentricum*, 430, var. *obovatum*, 431, 469; *durissimum*, 448; *exsurgens*, 431, 479; herculeum, 479; *Hibisci*, 460; lycogaloides, 431; malleolus, 479; marginatum, 448, 478; Petersii, 431; (*Glebosae*) *placentiforme*, 431, 479; solidum, 431; *stratosum*, 458, 479; Thouarsianum, 479; (*Pulvinatae*) *vernicosum*, 469

I

Idaho, a new Nama from, 177
Infra-red radiation, injurious effects of, upon plants, 79, *86;* upon enzymes, 505
Invertase: Difco, effect of radiations on, 512, 516; in beans and tomatoes, effect of radiations on, 519
Iochroma, 196, 197, 198; cornifolia, 331, 334; fuchsioides, 331; gesnerioides, 332; loxense, 333; umbrosa, 335
Isodontia, 182, 183, 206

J

Jasminoides, 181, 199
Jasminum, 108
Jochroma, 197, 198
Johnsonia, 181, 199

K

Koernicke, Prof. Max, holding a round marble plate, original root-etching experiment, *30*
Kretzschmaria, 478

L

Laphamia **quinqueflora**, 392
Lasegua, 62, 69; *bracteata*, 64; *erecta*, 62; *Hookeri*, 63; *Mandoni*, 64; *Pentlandiana*, 63; *villosa*, 70
Laubertia, 386; *laxiflora*, 386
Linum, 135, 139
Lyciobatos, 183, 206
Lycioplesium, 183, 197, 199, 334; pulchellum, 334
Lyciothamnos, 183, 197
Lycium, A monographic study of the genus, of the western hemisphere, 179; evidence of hybridization, 195; generic relationships, 196; geographical distribution, 191; history, 181; morphology, 185; phylogeny, 192, *193;* specific delimitation, 194; taxonomy, 199
Lycium, 199; *acanthocladium*, 268; *acnistoides*, 330; afrum, 181, 200; *aggregatum*, 300; Ameghinoi, 325, *362; americanum*, 330, var. *chrysocarpum*, 224; Andersonii, 271, *362*, f. **deserticola**, 280, var. Wrightii, 278, *362; Andersonii* var. *pubescens*, 271; *arborescens*, 330; *argentinum*, 217, 323; barbarum, 181; *barbarum* var. *vulgare*, 207; *barbinodum*, 247, 249; Berlandieri, 244, *356*, f. **parviflorum**, 246, var. **brevilobum**, 250, *356*, var. **longistylum**, 248, *356, 362*, var. **peninsulare**, 249; *Berlandieri* α *normale*, 244, var. *Schaffneri*, 299, β *Miersii*, 244, var. *Palmeri*, 252, subvar. *Richii*, 251, γ *longiflorum*, 281, var. *Andersonii*, 271, subvar. *Wrightii*, 278, δ *barbinodum* var. *parviflorum*, 247; *boerhaviaefolium*, 331; *brachyanthum*, 331; *breanum*, 266; brevipes, 256, 331; californicum, 327, *350, 352, 364; californicum* var. *arizonicum*, 327; *canum*, 315; capillare, 290, 331; capsulare, 331; *carinatum*, 327; carolinianum, 238, *356*, var. **Gaumeri**, 242, var. **quadrifidum**, 240, var. **sandwicense**, 243; *carolinianum*, 240, α *normale*, 238, 240, β *sandwicense*, 243, var. *cedroense*, 252, γ *californicum*, 327, f. *Hassei*, 256, var. *arizonicum*, 327; *cedrosense*, 252, 271; cestroides, 214, *358*, × *argentinum*, 196, × ciliatum, 196, *364*, × *elongatum*, 196; *cestroides* α *normale*, 214; Chanar, 331; chilense, 314, *364; chilense* α *normale*, 314, f. *glaberrima*, 314, var. *desertícum*, 261, 266, 288, var. *gracile*, 314, β *rachidocladum*, 229, var. *capillare* subvar. *filifolium*, 314, f. *minutifolium*, 314, var. *minutifolium*, 261, γ *implexum*, 261, var. *nodosum*, 220, var. *vimineum*, 219, *chilense* var. *glaberrimum*, 314, var. *glabriuscula*, 315, var. *heterophyllum*, 220, var. *normale*, 315, var. *ovatum*, 314, var. *petiolatum*, 314, var. *tomentosulum*, 314, subsp. *gracile* var. *gracile*, 315, subsp. *normale*, 315, var. *glaberrimum*, 315, var. *ovatum*, 315, var. *tomentosulum*, 315, var. *venosum*, 315, var. *Vergarae*, 321, subsp. *paraguariense*, 315, subsp. *rachidocladum*, 229; *chubutense*, 230; ciliatum, 322, *364; colorans*, 210, 211; **Comberi**, 313, *364, 374; confertum*, 259; *confusum*, 221; Cooperi, 305, *352, 362; Cooperi* var. *pubiflora*, 305; *cornifolium*, 183, 331; *crassispina*, 261, 331; cuneatum, 210, *354;* **cyathiformum**, 218, *354, 366;* decipiens, 235, *358; deserti*, 266; distichum, 263, *358; distichum* (*Grabowskia*), 263; *divaricatum*, 263; *durispina*, 325; elongatum, 258, *358; elongatum* var. *longiflorum*, 268, var. *riojana*, 259; *erosum*, 322; europaeum, 181, 182; exsertum, 296, *350, 360; fagosum*, 266; *filifolium*, 315, var. *minutifolium*, 315; *floribundum*, 229, 231, 331, α *normale*, 230, var. *tenuispinosum*, 230, β *infaustum*, 234, var. *confertum*, 259, var. *elongatum*, 259, var. *Gilliesianum*, 267, γ *ciliatum*, 322, var. *Grisebachii*, 322; *fragosum*, 266, *358;* Fremontii, 291, *360*, var. **congestum**, 295; *Fremontii* var. *Bige-*

lovii, 296, var. *gracilipes*, 291; *Friesii*, 231; *fuchsioides*, 183, 331; fuscum, 270, *360; gelidum*, 316; *geniculatum*, 331; *gesnerioides*, 183, 332; Gilliesianum, 267, 271, *358*, var. **longitubum**, 269; *glaucum*, 332; glomeratum, 213, *354; glomeratum* var. *obovatum*, 213; *gracile*, 315; *graciliflorum*, 332; *gracilipes*, 291; *grandifolium*, 332; *Grevilleanum*, 315; *guayaquilense*, 332; *halimifolium*, 207, 335, *356;* halophilum, 333; *Hassei*, 256; *Herzogii*, 333; *heterophyllum*, 333; horridum, 333, 334; *horridum*, 261; humile, 288, *360; ignarum*, 333; *implexum*, 261, 267; infaustum, 234, 333, *354; infaustum*, 221; *Johnstonii*, 221; *lasiopetalum*, 316; *leiostemum*, 263; *longiflorum*, 267; *longitubum*, 269; *lozense*, 183, 333; macrodon, 309, *350, 352, 362; macrophyllum*, 333; Martii, 211, *354; Martii* α *normale*, 211, β *glomeratum*, 213, var. *obovatum*, 213; melanopotamicum, 333; *Meyenianum*, 183, 333; microphyllum, 231; *microphyllum*, 230, 333; **minimum**, 225, *354, 368;* minutifolium, 261, 335, *358; minutifolium*, 230, 231; Morongii, 208, 332, *354*, var. indutum, 209, f. **parvifolium**, 210; *Morongii* var. *typicum*, 208; *nanum*, 333; nodosum, 220, *356; nutans*, 315; obovatum, 333, 334; *obtusum*, 334; *oreophilum*, 263; *ovale*, 334; **ovalilobum**, 233, *354, 370; ovatum*, 334; *pachyclados*, 261; pallidum, 299, 334, *362*, var. **oligospermum**, 304; *pallidum* α *normale*, 299, var. *Cooperi*, 305, f. *pubiflora*, 305, β *Fremontii*, 291, var. *Bigelovii*, 296, var. *gracilipes*, 291, subvar. *exsertum*, 296, γ *macrodon*, 310; *Palmeri*, 252; Parishii, 285, *362; Parishii*, 271; *parviflorum*, 246, var. *peninsulare*, 249; parvifolium, 333, 334; *patagonicum*, 315, α *normale*, 315, var. *pubescens*, 227, β *longiflorum*, 267; *paucifolium*, 221; *penduliflorum*, 270; *peninsulare*, 249; *peruvianum*, 334; *Philippianum*, 230; *Pringlei*, 286; *pruinosum*, 224, 334, var. *puberulum*, 210; puberulum, 190, 311, *362;* **pubitubum**, 237, *356, 372; pulverulentum*, 316; pubescens, 227, *354;* pulchellum, 334; *quadrifidum*, 240; quitense, 334; rachidocladum, 228; repens, 289, *360; retusum*, 296; rhadinum, 334; *Rhudolphi*, 261; Richii, 251, *356*, var. Hassei, 256, *356; Richii*, 256, 286; *rigidum*, 267; salsum, 224, 334; *salsum*, 221, 224, 334, 335, α *normale* var. *fagosum*, 266; *sandwicense*, 243; *scabrum*, 263, 335; *Schaffneri*, 299; *scoparium*, 315, var. *affine*, 316, var. *argentinum*, 323, var. *calycinum*, 316, var. *confertifolium*, 316, var. *divaricatum*, 316, var. *lineare*, 316, α *normale*, 315, lusus *affine*, 316, lusus *calycinum*, 316, lusus *confertiflorum*, 316, lusus *divaricatum*, 316, lusus *Grevilleanum*, 316, lusus *lineare*, 316, β *argentinum*, 323; *senticosum*, 244; *sessiliflorum*, 316; *Shockleyi*, 305; *spathulatum*, 335; *spathulifolium*, 224; *Spencerae*, 335; *spinulosum*, 230, var. *parvifolium*, 230; stenophyllum, 335; *stolidum*, 244; *subtridentatum*, 221; tenuispinosum, 229, *354*, var. **Friesii**, 231, 233; Torreyi, 281, *360; Torreyi* var. *filiforme*, 281, var. *Wrightii*, 280; Tweedianum, 221, 335, *356*, var. **chrysocarpum**, 224, *356*, var. heterophyllum, 335; *Tweedianum* var. *pruinosum*, 221, 224; *umbellatum*, 184, 295, 296, 335; *umbrosum*, 183, 335; *venosum*, 323; **Venturii**, 232, *372;* Vergarae, 321, *364;* verrucosum, 257, *358;* vimineum, 219, *354; vulgare*, 207, α *normale*, 207; *Wilkesii*, 268
Lycoperdon, 429; *atrum*, 429, 447; *fraxineum*, 429, 446

M

MacDougal, D. T. A half century of plant physiology, 31
Macrocope, 183, 207
Mandevilla, 49, 383, 386, 387; **acutiloba**, 54; **albo-viridis**, 69; **anceps**, 75; **apocynifolia**, 65; *Bangii*, 67; Benthamii, 75; **bogotensis**, 73; brachyloba, 62, 63; bracteata, 63, 64; **Bridgesii**, 67, 69; **cercophylla**, 61, 63; convolvulacea, 66; *"crassifolia,"* 50; **Donnell-Smithii**, 54; **equatorialis**, 65; **erecta**, 62, 64; **Fendleri**, 70; foliosa, 65; **fragilis**, 59; **glandulosa**, 66, 69; **grata**, 68, 69; hirsuta, 72; **Jamesonii**, 58; javitensis, 63; Karwinskii, 65; **lancifolia**, 74; **laxa**, 68; *Mandoni*, 67; **mexicana**, 65; Moritziana, 74; **Pavonii**, 73; **Pentlandiana**, 63; **platydactyla**, 55; **polyantha**, 73; *potosina*, 48; **pycnantha**, 60; **riparia**, 58; **Rosana**, 56; **rugosa**, 384; **rutila**, 385; *sagittarii*, 72; scabra, 70, 385; **Schlimii**, 70; **scorpioides**, 56; **scutifolia**, 57; **sertuligera**, 383; *suaveolens*, 68; **subpaniculata**, 71, 73; **subsagittata**, 69; **subsessilis**, 59; **symphitocarpa**, 70; **Syrinx**, 53, 384; **torosa**, 64; **Trianae**, 70; **tubiflora**, 52; *Tweediana*, 68; *velutina*, 48; **villosa**, 63, 70
Mathias, Mildred E. Studies in the Umbelliferae, IV, 497

Menodora, A revision of the genus, 87; general morphology, 90; geographical distribution, 100, *100, 102, 105;* phylogeny, 108, *111;* taxonomy, 113
Menodora, 113; africana, 123, *162, 164;* Coulteri, *95,* 120, var. **minima,** 121; chlorargantha, 156; decemfida, 142, *170,* var. **longifolia,** 143; Hassleriana, 132; helianthemoides, 117, *164,* var. **Engelmannii,** 119, *164,* var. **humilis,** 118, var. **magniflora,** 118, var. parviflora, 120; heterophylla, 124, *162, 166,* var. **australis,** 127, *136; hispida,* 144; integrifolia, 130, 168, var. **trifida,** 131; intricata, 149, *162,* 172, var. **Purpusii,** 150; juncea, 150, 174; *laevis,* 137; linoides, 156; longiflora, *95,* 143, *162, 172;* mexicana, 132; *pinnatifida,* 125; **pinnatisecta,** 133, *170; pubens,* 144; pulchella, 129; robusta, 151, *162, 174;* scabra, 134, *162, 168,* var. **laevis,** 137, var. **longituba,** 141, var. **ramosissima,** 139; *scabra* var. *glabrescens,* 147; scoparia, 147, *162;* spinescens, 152, *162, 176,* var. **mohavensis,** 155; *trifida,* 131
Menodoropsis, 89; *longiflora,* 144
Mercury vapor arc in quartz, Some effects of radiations from a, upon enzymes, 505
Mesechites, 45, 386; **bicorniculata,** 387; *brevipes,* 387; *Brownei,* 65; **citrifolia,** 387; **minima,** 386; *myrtifolia,* 386; **Sanctae-Crucis,** 387; *torulosa,* 65; trifida, 387
Mesocope, 183, 207
Mitozus brevipes, 387; *rugosus,* 384
Moore, John Adam. A new species of Parmelia from Texas, 503
Moore, Morris. Coccidioidal granuloma: a classification of the causative agent, Coccidioides immitis, 397
Mycoderma, 416; *immitis,* 415
Mycosis fungoides, 397

N

Nama, A new, from Idaho, 177
Nama demissum, 177; Havardii, 389; **psammophilum,** 177
New or otherwise noteworthy Apocynaceae of tropical America, II, 45; III, 375
Nyctanthes, 108

O

Odontadenia, 67, 72, 386; *glandulosa,* 66; **laxiflora,** 386
Oidiomycosis, 397
Oidium *coccidioides,* 415; *immite,* 415; lactis, 417; *protozoides,* 415
Oplukion, 182, 199
Orthechites Macnabii, 385

P

Panzeria caroliniana, 238
Parmelia, A new species of, from Texas, 503
Parmelia, 503; caperata, 504; **incorrupta,** 503
Parsonsia bracteata, 63
Pederlea, 182
Peltastes, 375; **colombianus,** 378; **giganteus,** 378; **macrocalyx,** 376, 379; **malvaeflorus,** 376; **peltatus,** 376, 379; **stemmadeniiflorus,** 377
Peptase: effect of ultra-violet radiation upon, in beans and tomatoes, 517, 520, 521; in Fusarium Lini, 525
Perictenia, 386
Piper, 181
Plant physiology, A half century of, 31; as Sachs found it, 3
Plicula, 182
Poecilochroma quitensis, 334
Polygala acanthoclada, 392; Conzattii, 392; eucosma, 392; macradenia, 391; Parryi, 392, Purpusii, 392; **rimulicola,** 390
Posadasia esferiformis, 417
Prestonia, 383; *hirsuta,* 73; *Peruviana,* 66
Protozoic dermatitis, 397
Prunus fasciculatus, 335
Pseudococcidioides, 418
Pukanthus, 182

Q

Quartz mercury vapor arc, effects of radiations from, upon enzymes, 505

R

Radiations, Some effects of, from a mercury vapor arc in quartz upon enzymes, 505; ultra-violet and infra-red; injurious effects of, on plants, 79
Reynolds, Ernest S. Plant physiology as Sachs found it, 3
Rhabdadenia, 52
Rhinosporidium, 418
Rhodocalyx calycosus, 47; *crassifolius,* 50
Rhopalopsis, 478

S

Sachs, Julius von, 1, *1;* appreciation of, by Bower, 19, by Farlow, 16, by Vines, 17; Bell jars for light experiments used by, at Bonn, *30;* Contributions to

botany of, 15; Plant physiology as found by, 3, since time of, 31
Salpichroa, 196, 325; *ciliata*, 323
Schistocalyx, 183
Sclerocarpellum, 201, 325
Secondatia, 385; floribunda, 386; **Macnabii**, 385; peruviana, 386; *Schlimiana*, 386
Selidophora, 188, 201, 312
Solaneae, 197
Solaneae-Lycineae, 197
Spartium radiatum, 142
Spermatophytes, Some new, from Texas, 389
Sphaeria, 430; *asphalatum*, 478; *cingulata*, 430, 469; *concentrica*, 429, 430, 446, 447, 448, var. *obovata*, 448, var. *pedicellata*, 448, var. *stipitata*, 448, 469; *durissima*, 478; *Eschscholzii*, 430, 458; Feei, 479; *fraxinea*, 447; *hemisphaericae*, 447; *loculata*, 430, 468; *obovata*, 430; (*Pulvinata*) *placenta*, 447; *Thouarsiana*, 479; *tunicata*, 447; *vernicosa*, 469, 479
Steyermark, Julian A. A revision of the genus Menodora, 87; Some new spermatophytes from Texas, 389
Stipecoma, *379; macrocalyx*, 376; *peltata*, 376
Stromatosphaeria concentrica, 447
Studies in the Umbelliferae, IV, 497
Suaeda suffrutescens, 389

T

Tabernaemontana, 73, 383
Taka diastase, effects of radiations from a quartz mercury vapor arc upon, 512, 513, 515
Temnadenia, 383; **ornata**, 383; *violacea*, 383
Teremis, 182, 199
Texas, A new species of Parmelia from, 503; Some new spermatophytes from, 389
Thenardia floribunda, 381; **tubulifera**, 381
Tomatoes: dry weight and pH in rayed and unrayed, 527; effect of ultra-violet radiations on enzymes in, 519; injurious effects of ultra-violet and infra-red radiations on, 81, *86*

U

Ultra-violet and infra-red radiations: injurious effects of, on plants, 79, *86*; effect of, upon enzymes, 505
Umbelliferae, Studies in the, IV, 497
Urechites, 49
Utah, A new scapose Draba from, 77

V

Valeriana, 394; pubicarpa, 394; **texana**, 393; wyomingensis, 394
Valsa, 429; *tuberosa*, 429, 446
Valteta, 182
Verbena uniflora, 334
Verbenaceae, 191
Vernonia, 108
Vines, appreciation of Sachs by, 17

W

Woodson, Robert E., Jr. New or otherwise noteworthy Apocynaceae of tropical America, II, 45; III, 375
Wynd, F. Lyle. An apparatus for the determination of carbon dioxide production in physiological plant studies, 499

X

Xylaria, 431; tubulina, 431; vernicosa, 479